



Angle and Vertical Grinders

For high quality finishing and general surface preparation, PRO Grinders are durable, light-weight and easy to handle. Choose from a wide range of angle and vertical grinders. Use these

powerful tools with depressed centre wheels, cut-off wheels or flap wheels from 100 mm up to 180 mm. For optimal r/min, PRO G2409 and G2510-series have built-in speed governors.



ANGLE GRINDERS

PRO G2408

Model	G2408-100	G2408-115	G2408-125
Speed	12 000 r/min	12 000 r/min	12 000 r/min
Output	350 w	350 w	350 w
Max wheel diam	100 mm (4")	115 mm (4 ½")	125 mm (5")
Spindle thread	3/8"-24UNF	3/8"-24UNF	3/8"-24UNF
Vibration level	4.1 m/s ²	10 m/s ²	11 m/s ²
Sound level	80 dB(A)	80 dB(A)	80 dB(A)
Length	225 mm	225 mm	225 mm
Weight	0.9 kg	0.9 kg	0.9 kg
Air consumption	13.1 l/s	13.1 l/s	13.1 l/s
Air inlet thread	1/4" BSP	1/4" BSP	1/4" BSP
Suitable air hose	10 mm (3/8")	10 mm (3/8")	10 mm (3/8")
Ordering No.	8423 0314 60	8423 0314 78	8423 0314 80



PRO G2409

With speed governor

Model	G2409-100	G2409-115	G2409-125
Speed	12 000 r/min	12 000 r/min	12 000 r/min
Output	650 w	650 w	650 w
Max wheel diam	100 mm (4")	115 mm (4 ½")	125 mm (5")
Spindle thread	3/8" - 24UNF	3/8" - 24UNF	3/8" - 24UNF
Vibration level	6.6 m/s ²	8.1 m/s ²	8.8 m/s ²
Sound level	87 dB(A)	87 dB(A)	87 dB(A)
Length	260 mm	260 mm	260 mm
Weight	1.32 kg	1.34 kg	1.36 kg
Air consumption	15 l/s	15 l/s	15 l/s
Air inlet thread	3/8" BSP	3/8" BSP	3/8" BSP
Suitable air hose	13 mm (1/2")	13 mm (1/2")	13 mm (1/2")
Ordering No.	8423 0315 00	8423 0315 05	8423 0315 10



PRO G2409

With speed governor

Model	G2409-100-M14	G2409-115-M14	G2409-125-M14	G2409-Comp-M14
Speed	12 000 r/min	12 000 r/min	12 000 r/min	12 000 r/min
Output	650 w	650 w	650 w	650 w
Max wheel diam	100 mm (4")	115 mm (4 ½")	125 mm (5")	100/115/125 mm
Spindle thread	M14	M14	M14	M14
Vibration level	6.6 m/s ²	8.1 m/s ²	8.8 m/s ²	8.8 m/s ²
Sound level	87 dB(A)	87 dB(A)	87 dB(A)	87 dB(A)
Length	260 mm	260 mm	260 mm	260 mm
Weight	1.32 kg	1.34 kg	1.36 kg	1.36 kg
Air consumption	15 l/s	15 l/s	15 l/s	15 l/s
Air inlet thread	3/8" BSP	3/8" BSP	3/8" BSP	3/8" BSP
Suitable air hose	13 mm (1/2")	13 mm (1/2")	13 mm (1/2")	13 mm (1/2")
Ordering No.	8423 0315 01	8423 0315 06	8423 0315 11	8423 0315 15





ANGLE GRINDERS

With unequalled power-to-weight ratio, the G2510-series is the most powerful one-hand angle grinder in the PRO range. The back piece is adjustable to provide easy access to tight spaces.

PRO G2510

With speed governor

Model	G2510-100	G2510-115	G2510-125
Speed	13 300 r/min	12 000 r/min	12 000 r/min
Output	800 watt	800 w	800 w
Max wheel diam	100x7x16 mm	115 mm (4 1/2")	125 mm (5")
Spindle thread	3/8"	M14	M14
Vibration level	7 m/s ²	7 m/s ²	7 m/s ²
Sound level	82 dB(A)	82 dB(A)	82 dB(A)
Length	207 mm	207 mm	207 mm
Weight	1.6 kg	1.6 kg	1.6 kg
Air consumption	17 l/s	17 l/s	17 l/s
Air inlet thread	3/8" BSP	3/8" BSP	3/8" BSP
Suitable air hose	13 mm (1/2")	13 mm (1/2")	13 mm (1/2")
Ordering No.	8423 0316 02	8423 0316 01	8423 0316 00





ACCESSORIES - ANGLE GRINDERS

Exhaust air hoses

Model	Ordering No.
G2408	4150 1077 80
G2409	4150 1532 90
G2510	4150 1532 01

Adapter

Model	Ordering No.
UNF 3/8"-24 x M14	4021 0435 00

Vibration damped handle

Model	Ordering No.
G2408	4150 1521 80
G2409	4150 1521 80
G2510	4150 1521 80





VERTICAL GRINDERS



PRO G2415

With speed governor

Speed	8 500 r/min
Output	1100 w
Max wheel diam	180 mm (7")
Max cup wheel	100 mm (4")
Max wire brush	-
Spindle thread	5/8-11UNC
Vibration level	4.8 m/s ²
Sound level	87 dB(A)
Height	198 mm
Length	280 mm
Weight	2.65 kg
Air consumption	21 l/s
Air inlet thread	1/2" BSP
Suitable air hose	13 mm (1/2")
Ordering No.	8423 2522 49



PRO G2416


With speed governor

Speed	6 000 r/min
Output	900 w
Max wheel diam	180 mm (7")
Max cup wheel	125 mm (4")
Max wire brush	140 mm (5½")
Spindle thread	5/8-11UNC
Vibration level	4.0 m/s ²
Sound level	78 dB(A)
Height	198 mm
Length	280 mm
Weight	2.65 kg
Air consumption	18 l/s
Air inlet thread	1/2" BSP
Suitable air hose	13 mm (1/2")
Ordering No.	8423 2522 56




ACCESSORIES - VERTICAL GRINDERS

Accessories included for G2415, G2416




Attachment set for
reinforced cut-off wheel
Ordering No.
4170 1133 87




Attachment set for
depressed centre wheel
Ordering No.
4170 0219 87

Optional accessories for G2415, G2416




180 mm soft pad with
spanner and lock nut
Ordering No.
4170 0756 80




180 mm stiff pad with
spanner and lock nut
Ordering No.
4170 0757 80

Optional accessories for G2416



Attachment set for steel
wire brush Ø 115 mm
Ordering No.
4170 0459 81

Steel wire brush
Ø 115 mm
Ordering No.
4170 0491 00



Attachment set for steel
wire brush Ø 140 mm
Ordering No.
4170 0550 80

Steel wire brush
Ø 140 mm
Ordering No.
4170 0685 00