



Percussive Tools

Built to endure, PRO percussive tools handle the toughest jobs with ease. Simple, rugged designs deliver powerful, efficient and dynamic

force. Light and compact, these tools put power into your hands to get the job done effortlessly.



WELD FLUX CHIPPERS & SCALERS

PRO small weld flux chippers are ideal for applications such as light chipping, carving stone, scaling and removing paint, rust and, of course, weld flux. For the toughest jobs, the robust P2515A scaler does not disappoint. The needle scaler with 19 standard steel needles is perfect for removing welding slag, rust and paint from steel structures. With adjustable power, the P2505 engraving pen marks almost every surface and material, including glass, stone and metal, and comes with 1.8 meters of 3.2 mm PVC hose.

PRO Weld flux chippers

Model	P2520	P2521	P2522
Chisel shank	12.7 mm (1/2") sq	12.7 mm (1/2") sq	12,7 mm (1/2") sq
Blows	90 Hz	60 Hz	60 Hz
Piston stroke	16 mm	20 mm	20 mm
Vibration level	11,7 m/s ²	25,4 m/s ²	31,6 m/s ²
Sound level	78 dB(A)	86 dB(A)	83 dB(A)
Length	182 mm	204 mm	239 mm
Weight	1.0 kg	1.5 kg	1.7 kg
Air consumption	2,4 l/s	3,0 l/s	3,0 l/s
Air inlet thread	1/4" BSPT	1/4" BSPT	1/4" BSPT
Suitable air hose	6.3 mm (1/4")	6.3 mm (1/4")	10 mm
Ordering No.	8425 0103 15	8425 0103 17	8425 0103 19



PRO P2515A Scaler

Chisel shank	12.7 mm (1/2") sq
Blows	66 Hz
Piston stroke	25 mm
Vibration level	13 m/s ²
Sound level	90 dB(A)
Length	228 mm
Weight	1.9 kg
Air consumption	2.5 l/s
Air inlet thread	1/4" BSP
Suitable air hose	10 mm (3/8")
Ordering No.	8425 0103 59



PRO P2516A Needle scaler

Blows	66 Hz
Piston stroke	25 mm
Vibration level	13 m/s ²
Sound level	90 dB(A)
Length	373 mm
Weight	2.6 kg
Air consumption	2.5 l/s
Air inlet thread	1/4" BSP
Suitable air hose	10 mm (3/8")
Ordering No.	8425 0103 67



PRO P2505 Engraving Pen

Blows	190 Hz
Vibration level	4.9 m/s ²
Sound level	69 dB(A)
Length	175 mm
Weight	0.12 kg
Air consumption*	0.6 l/s
Air inlet thread	1/8" BSP
Suitable air hose	3.2 mm (1/8")
Ordering No.	8425 0102 72



Accessories for P2516A - needles

Set of 19 needle	Length mm	Ordering No.
Steel standard	180	3512 0071 90
Stainless steel, flat ends	180	3512 0072 90
Beryllium copper flat ends	180	3512 0073 90



Accessories for P2505


	Ordering No.
Needle and small parts kit	4081 0068 90



CHIPPING HAMMERS


With a comfortable grip and controllable impact, PRO pistol grip chipping hammers are well suited for chipping, cutting, shearing and punching applications. The P2530 and P2531 versions can easily be adapted for riveting by mounting the rivet snap accessories found on page 49 .

PRO P2525



Chisel shank	10.2 mm round
Blows	50 Hz
Piston stroke	59 mm
Vibration level	15 m/s ²
Sound level	99 dB(A)
Length	218 mm
Weight	1.7 kg
Air consumption	8.3 l/s
Air inlet thread	1/4" BSP
Suitable air hose	10 mm (3/8")
Ordering No.	8425 0206 02

PRO P2526




Chisel shank	11 mm hex
Blows	55 Hz
Piston stroke	67 mm
Vibration level	15 m/s ²
Sound level	99 dB(A)
Length	218 mm
Weight	1.7 kg
Air consumption	8.3 l/s
Air inlet thread	1/4" BSP
Suitable air hose	10 mm (3/8")
Ordering No.	8425 0206 10

PRO P2530-R



Chisel shank	10.2 mm round
Riveting capacity	3.2 mm aluminium
Riveting capacity	2.5 mm steel
Blows	60 Hz
Piston stroke	38 mm
Vibration level	16,1 m/s ²
Sound level	96 dB(A)
Length	140 mm
Weight	1.1 kg
Air consumption	5.8 l/s
Air inlet thread	1/4" BSPT
Suitable air hose	10 mm (3/8")
Ordering No.	8425 0206 16

PRO P2530-H




Chisel shank	10.2 mm hex
Blows	60 Hz
Piston stroke	38 mm
Vibration level	16,1 m/s ²
Sound level	96 dB(A)
Length	140 mm
Weight	1.1 kg
Air consumption	5.8 l/s
Air inlet thread	1/4" BSPT
Suitable air hose	10 mm (3/8")
Ordering No.	8425 0206 15

PRO P2531-R



Chisel shank	10.2 mm round
Riveting capacity	6.4 mm aluminium
Riveting capacity	5.0 mm steel
Blows	50 Hz
Piston stroke	44.5 mm
Vibration level	16,1 m/s ²
Sound level	96 dB(A)
Length	193 mm
Weight	1.5 kg
Air consumption	6.7 l/s
Air inlet thread	1/4" BSPT
Suitable air hose	10 mm (3/8")
Ordering No.	8425 0206 21

PRO P2531-H



Chisel shank	10.2 mm hex
Blows	50 Hz
Piston stroke	44.5 mm
Vibration level	16,1 m/s ²
Sound level	96 dB(A)
Length	193 mm
Weight	1.5 kg
Air consumption	6.7 l/s
Air inlet thread	1/4" BSPT
Suitable air hose	10 mm (3/8")
Ordering No.	8425 0206 20



CHIPPING HAMMERS

Powerful and robust, PRO chipping hammers are designed for the toughest jobs in foundries, heavy industry and demolition.



PRO P2535-R

Chisel shank	14 mm round
Blows	50 Hz
Piston stroke	44.5 mm
Length	273 mm
Weight	2.5 kg
Air consumption	7 l/s
Air inlet thread	1/4" BSPT
Suitable air hose	10 mm (3/8")
Ordering No.	8425 0206 31



PRO P2535-H

Chisel shank	12 mm hex
Blows	50 Hz
Piston stroke	44.5 mm
Length	273 mm
Weight	2.5 kg
Air consumption	7 l/s
Air inlet thread	1/4" BSPT
Suitable air hose	10 mm (3/8")
Ordering No.	8425 0206 30



PRO P2536-R

Chisel shank	17.5 mm round
Blows	50 Hz
Piston stroke	25 mm
Length	301 mm
Weight	5.0 kg
Air consumption	10 l/s
Air inlet thread	3/8" BSPT
Suitable air hose	12.5 mm (1/2")
Ordering No.	8425 0206 36



PRO P2536-H











Chisel shank	17.5 mm hex
Blows	50 Hz
Piston stroke	25 mm
Length	301 mm
Weight	5.0 kg
Air consumption	10 l/s
Air inlet thread	3/8" BSPT
Suitable air hose	12.5 mm (1/2")
Ordering No.	8425 0206 35













PRO P2539-H

Chisel shank	17.5 mm hex
Blows	28 Hz
Piston stroke	102 mm
Length	425 mm
Weight	6.8 kg
Air consumption	10.8 l/s
Air inlet thread	3/8" BSPT
Suitable air hose	12.5 mm (1/2")
Ordering No.	8425 0206 50

ACCESSORIES CHIPPING HAMMERS

	Designation	Width	Length	For Tool	Ordering No.
	Chisel blank	15 mm	155 mm	P2515A	3085 0228 02
		13 mm	175 mm	P2525	3085 0212 00
		13 mm	200 mm	P2526	3085 0182 00
		13 mm	350 mm	P2526	3085 0182 01
	Flat chisel	15 mm	155 mm	P2515A	3085 0230 01
		16 mm	175 mm	P2525	3085 0265 00
		13 mm	200 mm	P2526	3085 0183 00
	Wide flat chisel	35 mm	165 mm	P2515A	3085 0232 01
	Sharp chisel	15 mm	175 mm	P2525	3085 0216 00
		15 mm	200 mm	P2526	3085 0170 00
		15 mm	300 mm	P2526	3085 0170 01
	Spot weld chisel	17 mm	175 mm	P2525	3085 0270 00
		17 mm	200 mm	P2526	3085 0301 00
	Angle scraper chisel	30 mm	200 mm	P2526	3085 0262 00
		30 mm	175 mm	P2525	3085 0264 00
		35 mm	165 mm	P2515A	3085 0362 00
	Moil point chisel	13 mm	200 mm	P2526	3085 0297 00
		13 mm	305 mm	P2526	3085 0297 01
	Pipe cutting chisel	35 mm	175 mm	P2525	3085 0268 00
		20 mm	200 mm	P2526	3085 0302 00
		35 mm	200 mm	P2526	3085 0303 00
	Plate cutting chisel	14,5 mm	175 mm	P2525	3085 0226 01
		14,5 mm	200 mm	P2526	3085 0263 00
	Plate cutting chisel	16 mm	175 mm	P2525	3085 0215 00
		16 mm	200 mm	P2526	3085 0173 00



ACCESSORIES CHIPPING HAMMERS



Designation	Width	Length	For Tool	Ordering No.
Chisel blank	12,7 mm	155 mm	P2520, P2521, P2522	3085040000
Chisel blank	12,7 mm	200 mm	P2520, P2521, P2522	3085040001
Chisel blank	12,7 mm	250 mm	P2520, P2521, P2522	3085040002
Flat chisel	15,5 mm	155 mm	P2520, P2521, P2522	3085040003
Flat chisel	15,5 mm	200 mm	P2520, P2521, P2522	3085040004
Flat chisel	15,5 mm	250 mm	P2520, P2521, P2522	3085040005
Flux chisel	25 mm	155 mm	P2520, P2521, P2522	3085040006
Flux chisel	25 mm	200 mm	P2520, P2521, P2522	3085040007
Flux chisel	25 mm	250 mm	P2520, P2521, P2522	3085040008
Plate cutting chisel	13 mm	208 mm	P2530-R, P2531-R	3085040009
Plate cutting chisel	13 mm	208 mm	P2530-H, P2531-H	3085040010
Double edge plate cutting chisel	19 mm	155 mm	P2530-R, P2531-R	3085040011
Double edge plate cutting chisel	19 mm	155 mm	P2530-H, P2531-H	3085040012
Flat chisel	20 mm	178 mm	P2530-R, P2531-R	3085040013
Flat chisel	20 mm	178 mm	P2530-H, P2531-H	3085040014
Point chisel	3,2 mm	178 mm	P2530-R, P2531-R	3085040015
Point chisel	3,2 mm	178 mm	P2530-H, P2531-H	3085040016
Rivet cutter	15 mm	150 mm	P2530-R, P2531-R	3085040017
Rivet cutter	15 mm	150 mm	P2530-H, P2531-H	3085040018
Chisel blank	12,7 mm	182 mm	P2530-R, P2531-R	3085040019
Chisel blank	12,7 mm	182 mm	P2530-H, P2531-H	3085040020
Spot weld chisel	19 mm	145 mm	P2530-R, P2531-R	3085040021
Spot weld chisel	19 mm	145 mm	P2530-H, P2531-H	3085040022



ACCESSORIES CHIPPING HAMMERS



Designation	Width	Length	For Tool	Ordering No.
Rivet snap 3 Rivet size 3 mm		90 mm	P2530-R, P2531-R	3085040023
Rivet snap 4 Rivet size 4 mm		90 mm	P2530-R, P2531-R	3085040024
Rivet snap 5 Rivet size 5 mm		90 mm	P2530-R, P2531-R	3085040025
Rivet snap 6 Rivet size 6 mm		90 mm	P2530-R, P2531-R	3085040026
Chisel blank	16 mm	250 mm	P2535-R	3085040027
Chisel blank	16 mm	300 mm	P2535-R	3085040028
Chisel blank	16 mm	250 mm	P2535-H	3085040029
Chisel blank	16 mm	300 mm	P2535-H	3085040030
Chisel blank	20 mm	250 mm	P2536-R	3085040031
Chisel blank	20 mm	300 mm	P2536-R	3085040032
Chisel blank	20 mm	250 mm	P2536-H, P2539-H	3085040033
Chisel blank	20 mm	300 mm	P2536-H, P2539-H	3085040034
Flat chisel	16 mm	200 mm	P2535-R	3085040035
Flat chisel	16 mm	200 mm	P2535-H	3085040036
Flat chisel	20 mm	250 mm	P2536-R	3085040037
Flat chisel	20 mm	250 mm	P2536-H, P2539-H	3085040038
Point chisel	16 mm	200 mm	P2535-R	3085040039
Point chisel	16 mm	200 mm	P2535-H	3085040040
Point chisel	20 mm	250 mm	P2536-R	3085040041
Point chisel	20 mm	250 mm	P2536-H, P2539-H	3085040042
Wide flat chisel	16 mm	200 mm	P2535-R	3085040043
Wide flat chisel	16 mm	200 mm	P2535-H	3085040044
Wide flat chisel	20 mm	250 mm	P2536-R	3085040045
Wide flat chisel	20 mm	250 mm	P2536-H, P2539-H	3085040046