

RediPower

Sanders



How to select your Sander/Polisher

Two types of Sanders can be used depending on the accessories required.


► Finishing sanders

From the standard to modular sanders 4-in-1. Self vacuum or central vacuum. Many solutions are available for your needs.



► Disc sanders or belt sanders

A complete range to suit your finishing surface applications for specific abrasives.



Sanders



RP9534

4-in-1 modular sander

FEATURES

- 3/16" (5mm) random orbital
- High quality "hook-it" sanding pad
- Low vibration tool



3/16" (5mm)
random orbital
version for
finishing sanding

BENEFITS

- Can be configured to suit application and operator
- Long lasting
- Ideal for fine finishing operations




RP9674

4-in-1 modular sander

FEATURES

- 3/8" (10mm) random orbital
- High quality "hook-it" sanding pad
- Low vibration tool



3/8" (10mm)
random orbital
version for
fast material removal


BENEFITS

- Can be configured to suit application and operator
- Long lasting
- Ideal for fast material removal



RP9164

General duty



or



3/8" (10mm)
random orbital
or rotary version,
for finishing random,
for fast material removal

FEATURES

- Rotary or random orbital options
- Sure-grip insulated handle
- Crossbolt-style hub mounting minimizes vibration

BENEFITS

- Ideal for multiple applications
- Ideal for fast material removal
- Operator comfort



RP9778

Fast and precise

FEATURES

- High speed sander
- Variable speed throttle
- Compact and lightweight
- Low vibration

BENEFITS

- Ideal for tight access work
- Precise control
- Easy handling
- Flexibility



See accessories on page 35

MODEL	PART NUMBER	FREE SPEED	PAD SIZE		SPINDLE THREAD	AIR CONSUMPTION		OVERALL LENGTH		NET WEIGHT		NOISE LEVEL	SOUND POWER	VIBRATION	AIR INLET
		rpm	mm	in.	in.	l/s	cfm	mm	in.	kg	lb	dB(A)	dB(A)	m/s ²	NPTF
RP9164	615 193 9164	9,600	152	6	5/16-24	8.80	18	222	8.75	1.7	3.8	90	101	7.3	1/4"
RP9534	615 193 9534	9,000	152	6	5/16-24	8.97	19	190	7.5	1.3	2.9	83	-	<2.5	1/4"
RP9674	615 193 9674	9,000	152	6	5/16-24	8.97	19	190	7.5	1.3	2.9	83	-	<2.5	1/4"
RP9778	615 193 9778	18,500	127	5	7/16-20	12.0	26	203	8.0	1.0	2.3	90	101	<2.5	1/4"

@90 PSI(@6.3 Bar) - Listed specifications are for reference only. Please check documents in each tool.



RP9775

Mini random orbital sander

FEATURES

- Mini random orbital sander
- Compact and lightweight
- Handle rubber grip
- Two-finger throttle for easy control
- Silenced handle exhaust directs air away



BENEFITS

- Compact and lightweight for easy control
- Operator comfort
- Less fatigue
- Ideal for small surface

RP9775 Kit

Mini random orbital Sander Kit
See details on page 34



RP9777

Mini disc polisher

FEATURES

- Mini disc polisher
- Compact and lightweight
- Two-finger throttle for easy control
- Silenced handle exhaust directs air away
- Low vibration




BENEFITS

- Compact and lightweight for easy control
- Operator comfort
- Less fatigue
- Ideal for small surface

RP9777 KIT

Mini disc Polisher Kit
See details on page 34



RP9776

Mini rotary sander

FEATURES

- Compact and Lightweight
- Adjustable speed regulator
- Through handle exhaust
- Rubber moulded grip

BENEFITS

- Ideal for small work areas
- Match the speed for the job
- Operator comfort

RP9776 KIT

Mini rotary Sander Kit
See details on page 34



See accessories on page 35

MODEL	PART NUMBER	FREE SPEED	PAD SIZE		SPINDLE THREAD	AIR CONSUMPTION		OVERALL LENGTH		NET WEIGHT		NOISE LEVEL	SOUND POWER	VIBRATION	AIR INLET
			mm	in.		in.	l/s	cfm	mm	in.	kg				
RP9775	615 193 9775	15,000	75	3	1/4-20F	4.95	10.5	120	4.72	0.68	1.50	86	97	7.1	1/4"
RP9775 KIT	615 193 0775	15,000	75	3	1/4-20F	4.95	10.5	120	4.72	0.68	1.50	86	97	7.1	1/4"
RP9776	615 193 9776	14,000	75	3	1/4-20	8.90	19.0	121	4.70	0.70	1.50	77	-	<2.5	1/4"
RP9776 KIT	615 193 0776	14,000	75	3	1/4-20	8.90	19.0	121	4.70	0.70	1.50	77	-	<2.5	1/4"
RP9777	615 193 9777	2,500	75	3	1/4-20F	4.95	10.5	130	5.11	0.79	1.75	88	99	<2.5	1/4"
RP9777 KIT	615 193 0777	2,500	75	3	1/4-20F	4.95	10.5	130	5.11	0.79	1.75	88	99	<2.5	1/4"

@90 PSI(@6.3 Bar) - Listed specifications are for reference only. Please check documents in each tool.

Sanders




RP9779

Compact and Lightweight

FEATURES

- 10mm (0.4") belt capacity
- High speed
- Swivel air inlet and adjustable arm
- Arm locks in place for easy belt change



BENEFITS

- Excellent for paint and rust removal, and weld sanding
- Easy access in tight areas
- Operator comfort




RP9780

Flexible and easy handling

FEATURES

- 20mm (0.9") belt capacity
- High power
- Swivel air inlet and adjustable arm
- Arm locks in place for easy belt change



BENEFITS

- Excellent for paint and rust removal, and weld sanding
- Easy access in tight areas
- Operator comfort


See accessories on page 35

MODEL	PART NUMBER	FREE SPEED	BELT SIZE		POWER		AIR CONSUMPTION		OVERALL LENGTH		NET WEIGHT		NOISE LEVEL	SOUND POWER	VIBRATION	AIR INLET
		rpm	mm	in.	W	hp	l/s	cfm	mm	in.	kg	lb	dB(A)	dB(A)	m/s ²	NPTF
RP9779	615 193 9779	22,000	10x330	3/8x13	260	0.35	13.3	28	305	12.0	0.90	1.98	90.5	101.5	<2.5	1/4"
RP9780	615 193 9780	20,000	20x520	3/4x20.4	380	0.51	14.6	30	380	15.0	1.50	3.30	90.5	101.5	<2.5	1/4"

@90 PSI(@6.3 Bar) - Listed specifications are for reference only. Please check documents in each tool.

Accessories

SANDERS KITS



RP9776 KIT - Included:

- RP9776 Mini rotary Sander (Qty 1)
- ø 50mm (2") Sanding backing pad (1)
- ø 50mm (2") 60 Grit sanding disc (10)
- ø 50mm (2") 80 Grit sanding disc (10)
- ø 50mm (2") 120 Grit sanding disc (10)
- ø 50mm (2") Surface preparation pad (fine, medium, coarse) (3)
- ø 75mm (3") Sanding backing pad (1)
- ø 75mm (3") 60 Grit sanding disc (10)
- ø 75mm (3") 80 Grit sanding disc (10)
- ø 75mm (3") 120 Grit sanding disc (10)
- ø 75mm (3") Surface preparation pad (fine, medium, coarse) (3)
- Spanner (1)



P9775 KIT - Included:

- RP9775 Mini random orbital Sander (Qty 1)
- ø 50mm (2") Sanding backing pad (1)
- ø 75mm (3") Sanding backing pad (1)
- ø 50mm (2") 320 Grit banding disc (10)
- ø 50mm (2") 400 Grit banding disc (10)
- ø 50mm (2") 600 Grit banding disc (10)
- Spindle wrench (1)




RP9777 KIT - Included:

- RP9777 Mini disc Polisher (Qty 1)
- ø 75mm (3") Backing pad (1)
- ø 75mm (3") Foam compounding pad (white/yellow) (2)
- ø 75mm (3") Wool buffing pad (1)
- Spindle wrench (1)



BACKING PADS		
MODEL		PART NUMBER
RP9778	ø 75mm (3") Backing Pad	205 048 506 3
RP9778	ø 110mm (4-1/2") Back-up	205 048 507 3
RP9778	ø 125mm (5") Back-up	205 048 508 3

SANDING ACCESSORIES		
MODEL		PART NUMBER
RP9778	Flange	205 048 505 3
RP9778	Hub	205 048 503 3
RP9778	Rod-Key	205 048 504 3



SANDING PADS		
MODEL		PART NUMBER
RP9534/9674	ø 150mm (6") PSA pad	KF140658
RP9534/9674	ø 150mm (6") Velcro pad	CA149405
RP9534/9674	ø 150mm (6") PSA pad - 6 holes dust ext.	CA142413
RP9534/9674	ø 150mm (6") Velcro pad - 6 holes dust ext.	CA149784
RP9534/9674	Pad and Disc kit	352493
RP9534/9674	ø 150mm (6") Pad - 6 holes dust ext.	615 990 118 0
RP9534/9674	ø 150mm (6") Velcro pad - 6 holes dust ext.	615 990 126 0
RP9534/9674	Keys for pad	164433
RP9534/9674	Complete dust extraction kit	894 015 843 0
RP9164	ø 150mm (6") Sanding pad	205 048 825 3
RP9164	ø 150mm (6") Pad for self-adhesive abrasive	615 990 119 0
RP9164	ø 150mm (6") Velcro pad	615 990 125 0
RP9775	ø 75mm (3") Sanding pad for Hook & Loop abrasive	894 015 833 0
RP9775	ø 50mm (2") Sanding pad for Hook & Loop abrasive	894 015 833 4
RP9775	Key	CA158089
RP9775	Spacer	CA158082
RP9776	ø 75mm (3") Sanding backing pad	205 048 711 3
RP9776	ø 75mm (3") Sanding disc 60 grit (5)	894 016 171 2
RP9776	ø 75mm (3") Sanding disc 80 grit (5)	894 016 171 3
RP9776	ø 75mm (3") Sanding disc 100 grit (5)	894 016 171 4
RP9776	ø 75mm (3") Sanding disc 120 grit (5)	894 016 171 5
RP9776	ø 75mm (3") Surface prep. pad (Fine) (5)	894 016 171 6
RP9776	ø 75mm (3") Surface prep. pad (Medium) (5)	894 016 171 7
RP9776	ø 75mm (3") Surface prep. pad (Course) (5)	894 016 171 8

POLISHING PADS		
MODEL		PART NUMBER
RP9776	ø 75mm (3") Soft polishing white pads	CA158108
RP9776	ø 75mm (3") Hard polishing yellow pads	CA158109
RP9776	ø 75mm (3") Buffing wool pads	CA158110
RP9776	ø 50mm (2") Soft polishing white pads	894 015 877 2
RP9776	ø 50mm (2") Hard Polishing Yellow Pads	894 015 877 3
RP9776	ø 50mm (2") Bugging wool pads	894 015 877 4
RP9777	ø 75mm (3") Soft polishing pad	CA158108
RP9777	ø 75mm (3") Hard polishing pad	CA158109
RP9777	ø 75mm (3") Buffing pad	CA158110
RP9777	ø 50mm (2") Soft polishing pad	894 015 877 2
RP9777	ø 50mm (2") Hard buffing pad	894 015 877 3
RP9777	ø 50mm (2") Buffing pad	894 015 877 4
RP9777	Wrench	CA158083
RP9777	Spacer	CA158082

BELT SANDER KEY		
MODEL		PART NUMBER
RP9779/RP9880	Hex. Key wrench (4mm)	205 050 026 3
RP9880	Hex. Key wrench (2.5mm)	205 050 027 3



BELT SANDERS – BAGS OF 5 BELLS					
MODEL		PART NUMBER	MODEL	PART NUMBER	
RP9779	Belts 60 Grit (10 x 330mm) (5)	205 050 444 3	RP9780	Belts 60 Grit (20 x 520mm) (5)	205 050 448 3
RP9779	Belts 80 Grit (10 x 330mm) (5)	205 050 445 3	RP9780	Belts 80 Grit (20 x 520mm) (5)	205 050 449 3
RP9779	Belts 100 Grit (10 x 330mm) (5)	205 050 446 3	RP9780	Belts 100 Grit (20 x 520mm) (5)	205 050 450 3
RP9779	Belts 120 Grit (10 x 330mm) (5)	205 050 447 3	RP9780	Belts 120 Grit (20 x 520mm) (5)	205 050 451 3