

**RediPower**

# Drills



## Choosing the right Drill



### Pistol grip drills

- Ideal for all general industrial and maintenance drilling tasks
- Drilling hole capacity to 13mm (1/2") dia. (in steel)
- Best ergonomic shape - single and two handed use
- Use of side handle recommended for larger drills with high torque reaction



### Straight drills

- Mainly smaller diameter drilling less than 10mm (3/8") dia. (in steel)
- Favoured for vertical drilling



### Angle drills

- Ideal for restricted access application
- Drilling hole capacity to 10mm (3/8") dia. (in steel)

## Drills range

TOOL TYPE	MODEL	FREE SPEED	CHUCK CAPACITY	
		rpm	mm	in.
<b>PISTOL GRIP</b>				
	RP1454	4,300	10	3/8
	RP9280	3,200	6.4	1/4
	RP1264/RP1274	2,900	10	3/8
	RP1064	2,500	10	3/8
	RP1664	2,000	10	3/8
	RP9285/RP9287	2,900	10	3/8
	RP9790/RP9792	2,000	10	3/8
	RP9789/RP9791	800	13	1/2
	RP9286/RP9288	600	13	1/2
<b>STRAIGHT GRIP</b>				
	RP9887	2,800	10	3/8
<b>ANGLE DRILL</b>				
	RP9879	1,300	10	3/8

# Drills



## RP1064

### One tool for many applications

#### FEATURES

- 10mm (3/8") capacity chuck
- High-powered pistol drill
- Slim design - compact and lightweight

#### BENEFITS

- Ideal for close quarter drilling
- Accommodates wide range of drill bit sizes
- Good power for general drilling



## RP1454

### High speed & power

#### FEATURES

- 10mm (3/8") capacity chuck
- High-powered, high-speed pistol drill
- Slim design - compact and lightweight

#### BENEFITS

- Ideal for close quarter drilling
- Accommodates wide range of drill bit sizes
- Good power and high speed for drilling



## RP1664

### One tool for 2 functions

#### FEATURES

- 10mm (3/8") capacity chuck
- Pistol drill with sliding reverse control
- Slim design - compact and lightweight



#### BENEFITS

- Can be used for drilling & screwing
- Quick change for forward and reverse
- Operator comfort



## RP1264

### Quiet and productive

#### FEATURES

- 10mm (3/8") capacity chuck
- Short, low-noise power drill
- High power & high speed
- Short length = manoeuvrability
- Streamlined and compact

#### BENEFITS

- Accommodates wide range of drill bit sizes
- High power and speed for improved cycle times
- Operator comfort

All models - vibration <2.5m<sup>2</sup>

See accessories on page 21

MODEL	PART NUMBER	FREE SPEED	POWER			CHUCK CAPACITY		SPINDLE THREAD	MAXIMUM TORQUE		AIR CONSUMPTION		OVERALL LENGTH		NET WEIGHT		NOISE LEVEL	AIR INLET
			rpm	kW	hp	mm	in.		in.	Nm	ft lb	l/s	cfm	mm	in.	kg		
RP1064	615 194 1064	2,500	0.23	0.30	10	3/8	3/8-24	1.8	1.32	9.3	19.7	225	8.9	0.7	1.5	83	1/4"	
RP1454	615 194 1454	4,300	0.23	0.30	10	3/8	3/8-24	1.0	0.74	9.3	19.7	225	8.9	0.7	1.5	83	1/4"	
RP1664	615 194 1664	2,000	0.19	0.26	10	3/8	3/8-24	1.8	1.32	9.3	19.7	225	8.9	0.7	1.5	83	1/4"	
RP1264	615 194 1264	2,900	0.28	0.38	10	3/8	3/8-24	1.8	1.32	9.3	19.7	175	6.9	0.9	2.0	78	1/4"	

@90 PSI(@6.3 Bar) - Listed specifications are for reference only. Please check documents in each tool.



## RP1274

### Keyless chuck

#### FEATURES

- 10mm (3/8") capacity chuck
- Pistol grip drill with keyless chuck
- High speed

#### BENEFITS

- Power & high speed for improved cycle times
- Quick drill bit change
- Operator comfort and productivity



## RP9280

### Compact tool

#### FEATURES

- 6mm (1/4") capacity chuck
- Compact and lightweight pistol drill
- Progressive throttle

#### BENEFITS

- Ideal for drilling in close spaces
- Ease of handling
- Ideal for drill bit centering
- Ergonomic for operator's comfort'



## RP9879

### Angle drill for easy access

#### FEATURES

- 10mm (3/8") industrial capacity chuck
- Compact angle head drill
- Reversible



#### BENEFITS

- Ideal for tight access applications
- Good tool for both drilling and screwdriving
- Teasing throttle for for progressive control



## RP9887

### Powerful In-line drill

#### FEATURES

- 10mm (3/8") industrial capacity chuck
- In-line drill with contoured handle
- 0.5hp (0.37kW)

#### BENEFITS

- Ergonomic contoured body
- Good progressive grip
- Power and speed
- Durability and productivity
- Vertical or horizontal drilling

All models - vibration <2.5m²

See accessories on page 21

MODEL	PART NUMBER	FREE SPEED		POWER		CHUCK CAPACITY		SPINDLE THREAD	MAXIMUM TORQUE		AIR CONSUMPTION		OVERALL LENGTH		NET WEIGHT		NOISE LEVEL	SOUND POWER	AIR INLET
		rpm		kW	hp	mm	in.	in.	Nm	ft lb	l/s	cfm	mm	in.	kg	lb	dB(A)	dB(A)	NPTF
RP1274	615 194 1274	2,900		0.28	0.38	10	3/8	3/8-24	1.8	1.32	9.3	19.7	175	6.9	0.9	2.0	78	-	1/4"
RP9280	615 194 9280	3,200		0.23	0.30	6.4	1/4	3/8-24	2.6	1.92	9.0	19.0	142	5.6	0.6	1.3	82	-	1/4"
RP9879	615 194 9879	1,300		0.18	0.25	10	3/8	3/8-24	4.7	3.46	8.5	18.0	200	8.0	0.7	1.5	91	102	1/4"
RP9887	615 194 9887	2,800		0.37	0.50	10	3/8	3/8-24	4.7	3.46	12.0	26.0	215	8.5	0.9	2.0	88	99	1/4"

@90 PSI(@6.3 Bar) - Listed specifications are for reference only. Please check documents in each tool.



# Drills



## RP9285

**Pistol drill**

**FEATURES**

- 10mm (3/8") industrial capacity chuck
- Pistol drill with through-handle exhaust
- Versatile

**BENEFITS**

- Suitable for many applications
- Direct exhaust from the operator workpiece
- Productivity and durability

**RP9287**



Keyless chuck  
Same features as  
RP9285



## RP9790

**Reversible pistol drill**

**FEATURES**

- 10mm (3/8") industrial capacity chuck
- Reversible pistol drill
- Through handle exhaust

**BENEFITS**

- Suitable for many applications
- Direct exhaust from the operator workpiece
- Ideal for drilling and screwdriving


**RP9792**



Keyless chuck  
Same features as  
RP9790



**RP9790  
Kits**  
Imperial and  
Metric kits  
*See details on page 21*



## RP9286

**Productive for larger holes**


**FEATURES**

- 13mm (1/2") industrial capacity chuck
- Powerful pistol drill with through handle exhaust
- Low speed
- Side handle

**BENEFITS**

- Accommodates larger drill bits
- Direct exhaust from the operator workpiece
- Ideal for large hole drilling

**RP9288**



Keyless chuck  
Same features as  
RP9286

## RP9789

**Reversible and low speed**


**FEATURES**

- 13mm (1/2") industrial capacity chuck
- Powerful reversible pistol drill with through handle exhaust
- Low speed and high power
- Side handle

**BENEFITS**

- Accommodates larger drill bits
- Direct exhaust from the operator workpiece
- Ideal for drilling and screwdriving

**RP9791**



Reversible keyless  
chuck  
Same features as  
RP9789

All models - vibration <2.5m<sup>2</sup>

See accessories on page 21

MODEL	PART NUMBER	FREE SPEED		POWER		CHUCK CAPACITY		SPINDLE THREAD		MAXIMUM TORQUE		AIR CONSUMPTION		OVERALL LENGTH		NET WEIGHT		NOISE LEVEL	SOUND POWER	AIR INLET
		rpm		kW	hp	mm	in.	in.		Nm	ft lb	l/s	cfm	mm	in.	kg	lb			
RP9285	615 194 9285	2,900		0.38	0.50	10	3/8	3/8-24	5.3	3.91	10.0	21	165	6.5	1.1	2.4	89	100	1/4"	
RP9286	615 194 9286	600		0.38	0.50	13	1/2	3/8-24	20.0	14.70	11.5	24	177	7.0	1.8	4.0	90	101	1/4"	
RP9287	615 194 9287	2,900		0.38	0.50	10	3/8	3/8-24	5.3	3.91	10.0	21	199	7.83	1.15	2.5	89	100	1/4"	
RP9288	615 194 9288	600		0.38	0.50	13	1/2	3/8-24	20.0	14.70	11.5	24	251	9.88	1.51	3.3	90	101	1/4"	
RP9789	615 194 9789	800		0.27	0.37	13	1/2	3/8-24	12.4	9.14	11.5	24	177	7.0	1.8	4.0	90	101	1/4"	
RP9790	615 194 9790	2,000		0.27	0.37	10	3/8	3/8-24	4.8	3.54	11.5	24	165	6.5	1.4	3.0	89	100	1/4"	
RP9790 MKIT	615 194 0790	2,000		0.27	0.37	10	3/8	3/8-24	4.8	3.54	11.5	24	165	6.5	1.4	3.0	89	100	1/4"	
RP9790 IKIT	615 194 8790	2,000		0.27	0.37	10	3/8	3/8-24	4.8	3.54	11.5	24	165	6.5	1.4	3.0	89	100	1/4"	
RP9791	615 194 9791	800		0.27	0.37	13	1/2	3/8-24	12.4	9.14	11.5	24	237	9.33	1.42	3.1	90	101	1/4"	
RP9792	615 194 9792	2,000		0.27	0.37	10	3/8	3/8-24	4.8	3.54	11.5	24	216	8.5	1.18	2.6	89	100	1/4"	

@90 PSI(@6.3 Bar) - Listed specifications are for reference only. Please check documents in each tool.



## DRILLS KITS

### RP9790 IKIT - Imperial - Included:

- RP9790 Drill (Qty 1)
- Air nipple (1)
- Chuck key (1)
- Drill Bits (13) - 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 11/64", 3/16", 13/64", 7/32", 15/64", 1/4"

### RP9790 MKIT - Metric - Included:

- RP9790 Drill (Qty 1)
- Air nipple (1)
- Chuck key (1)
- Drill Bits (13) - 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 4.8, 5, 5.5, 6, 6.5mm



## SCREWDRIVER KIT

DESCRIPTION	PART No.
For use with all Air Drills. Has Quick-Change Slip Chuck, three Phillips Bits and two Slotted Bits	<b>CA155826</b>



SIDE HANDLE	
MODEL	PART No.
RP9789/RP9791	205 049 855 3
RP9286/RP9288/ RP2755/RP2765	205 049 854 3



REAR EXHAUST HOSE ASSEMBLY NOISE REDUCER	
MODEL	PART No.
RP9285/RP9286/ RP9287/RP9288/ RP9789/RP9790/ RP9791/RP9792	205 051 649 3
RP9879/RP9887	205 051 290 3

TOOL	CAPACITY		THREAD MOUNT	CHUCK PART NUMBER	KEY PART NUMBER
	mm	in.	in.		
RP1064	10	3/8	3/8-24	40002	34302
RP1454	10	3/8	3/8-24	40002	34302
RP1664	10	3/8	3/8-24	40002	34302
RP1264	10	3/8	3/8-24	40002	34302
RP9280	6.4	1/4	3/8-24	205 048 698 3	205 049 700 3
RP9285	10	3/8	3/8-24	205 048 697 3 (Chuck + Key)	C142411
RP9286	13	1/2	3/8-24	205 048 696 3 (Chuck + Key)	C142411
RP9789	13	1/2	3/8-24	205 048 696 3 (Chuck + Key)	C142411
RP9790	10	3/8	3/8-24	205 048 697 3 (Chuck + Key)	C142411
RP9879	10	3/8	3/8-24	205 048 697 3 (Chuck + Key)	C142411
RP9887	10	3/8	3/8-24	205 048 697 3 (Chuck + Key)	C142411
RP1274	10	3/8	3/8-24	94952	
RP9791	13	1/2	3/8-24	205 050 207 3	
RP9792	10	3/8	3/8-24	205 050 206 3	
RP9287	10	3/8	3/8-24	205 050 206 3	
RP9288	13	1/2	3/8-24	205 050 207 3	

